




Hewlett Packard
Enterprise

Brochure

HPE Power Cords and Cables

For servers, power supplies, and options





Power is important. That's why HPE Power Cords and Cables are built and tested to rigorous standards to ensure the utmost quality control and durability. Use only HPE Power Cords and Cables to protect your equipment and your data.





Table of contents

Country specific C13 power cords

Country specific C15 power cords

Country specific C19 power cords

Jumper Cords

Locking Jumper Cords

Specialty cords

International Plug Type

International Connector Type



Country specific C13 power cords

Country/Region	Description	Quantity/kit	Plug Type	Connector Type	Length, Meter (Feet)	Color	Part number
U.S./Canada/Mexico	HPE PWR CRD, 1.83m, 10A/125V, C13—U.S.	1	NEMA 5-15P	C13 STRAIGHT	1.83 (6)	Black	AF556A
U.S./Canada/Mexico	HPE PWR CRD, 3.6m, 10A/250V, C13—U.S.	1	NEMA 6-15P	C13 STRAIGHT	3.6 (12)	Black	A0N33A
Argentina	HPE PWR CRD, 2.5m, 10A/250V, C13—AR	1	IRAM 2073	C13 STRAIGHT	2.5 (8.2)	Black	AF558A
Brazil	HPE PWR CRD, 1.83m, 10A/250V, C13—BR	1	NBR 14136	C13 STRAIGHT	1.83 (6)	Black	AF591A
China	HPE PWR CRD, 1.83m, 10A/250V, C13—CN	1	GB1002	C13 STRAIGHT	1.83 (6)	Black	AF557A
South Korean	HPE PWR CRD, 1.83m, 10A/250V, C13—KR	1	KSC 8305	C13 STRAIGHT	1.83 (6)	Black	AF560A
Japan	HPE PWR CRD, 2m, 12A/125V, C13—JP	1	JIS C8303	C13 STRAIGHT	2 (6.6)	Black	AF572A
Taiwan	HPE PWR CRD, 1.83m, 13A/125V, C13—TW	1	CNS 690	C13 STRAIGHT	1.83 (6)	Black	AF561A
Thailand/Philippines	HPE PWR CRD, 1.83m, 10A/250V, C13—TH	1	NEMA 5-15P	C13 STRAIGHT	1.83 (6)	Black	AF559A
India	HPE PWR CRD, 2m, 6A/250V, C13—IN	1	IS 1293	C13 STRAIGHT	2 (6.6)	Black	AF562A
India	HPE PWR CRD, 2.5m, 10A/250V, C13—IN	1	IS 1293	C13 STRAIGHT	2.5 (8.2)	Black	SG579A
Israel	HPE PWR CRD, 1.83m, 10A/250V, C13—IL	1	SI-32	C13 STRAIGHT	1.83 (6)	Black	AF564A
Australia/New Zealand	HPE PWR CRD, 2.5m, 10A/250V, C13—AU/NZ	1	AS3112-3	C13 STRAIGHT	2.5 (8.2)	Black	AF569A
Europe/Russia	HPE PWR CRD, 1.83m, 10A/250V, C13—EU	1	CEE7-VII	C13 STRAIGHT	1.83 (6)	Black	AF568A
Switzerland	HPE PWR CRD, 1.83m, 10A/250V, C13—CH	1	SEV 1011	C13 STRAIGHT	1.83 (6)	Black	AF565A
Denmark	HPE PWR CRD, 1.83m, 10A/250V, C13—DK	1	DK 2.5A	C13 STRAIGHT	1.83 (6)	Black	AF566A
Italy/Chile	HPE PWR CRD, 1.83m, 10A/250V, C13—IT/CL	1	CEI23-50	C13 STRAIGHT	1.83 (6)	Black	AF571A
South Africa	HPE PWR CRD, 2.5m, 10A/250V, C13—ZA	1	SABS 164	C13 STRAIGHT	2.5 (8.2)	Black	AF567A
UK/HK/Singapore	HPE PWR CRD, 1.83m, 10A/250V, C13—UK	1	BS-1363/A	C13 STRAIGHT	1.83 (6)	Black	AF570A



Country specific C15 power cords

Country/Region	Description	Quantity/kit	Plug Type	Connector Type	Length, Meter (Feet)	Color	Part number
U.S./Canada/Mexico	HPE PWR CRD, 1.83m, 15A/125V, C15—U.S.	1	NEMA 5-15P	C15 STRAIGHT	2.5 (8.2)	Black	Q7F42A
China	HPE PWR CRD, 1.83m, 10A/250V, C15—CN	1	GB1002	C15 STRAIGHT	2.5 (8.2)	Black	Q7F53A
South Korean	HPE PWR CRD, 1.83m, 10A/250V, C15—KR	1	KSC 8305	C15 STRAIGHT	2.5 (8.2)	Black	Q7F45A
Europe/Russia	HPE PWR CRD, 1.83m, 10A/250V, C15—EU	1	CEE7-VII	C15 STRAIGHT	2.5 (8.2)	Black	Q7F45A
UK/HK/Singapore	HPE PWR CRD, 1.83m, 10A/250V, C15—UK	1	BS-1363/A	C15 STRAIGHT	2.5 (8.2)	Black	Q7F46A

Country specific C19 power cords

Country/Region	Description	Quantity/kit	Plug Type	Connector Type	Length, Meter (Feet)	Color	Part number
U.S./Canada/Mexico	HPE PWR CRD, 3.6m, 20A/250V, C19—U.S.	1	NEMA L6-20P	C19 STRAIGHT	3.6 (12)	Black	AF593A
China	HPE PWR CRD, 2.5m, 16A/250V, C19—CN	1	GB1002	C19 STRAIGHT	2.5 (8.2)	Black	AF584A
South Korean	HPE PWR CRD, 3.6m, 16A/250V, C19—EU	1	CEE7-VII	C19 STRAIGHT	3.6 (12)	Black	AF576A
Europe/Russia	HPE PWR CRD, 3.6m, 16A/250V, C19—EU	1	CEE7-VII	C19 STRAIGHT	3.6 (12)	Black	AF576A
Italy/Chile	HPE PWR CRD, 3.6m, 16A/250V, C19—IT/CL	1	CEI 23-50	C19 STRAIGHT	3.6 (12)	Black	AF580A
Worldwide	HPE PWR CRD, 4.5m, 16A/250V, Stripped end/C19	1	Stripped ends	C19 STRAIGHT	4.5 (15)	Black	E7806A



Jumper Cords

Country/Region	Description	Quantity/kit	Connector 1 Type	Connector 2 Type	Length, Meter (Feet)	Color	Part number
Worldwide	HPE Jumper Cord, Black, 2m, 10A, C13-C14	1	C14 STRAIGHT	C13 STRAIGHT	2 (6)	Black	AOK02A
Worldwide	HPE Jumper Cord, Black, 2.5m, 10A, C13-C14	1	C14 STRAIGHT	C13 STRAIGHT	2.5 (8)	Black	142257-002
Worldwide	HPE Jumper Cord, Black, 3m, 10A, C13-C14	1	C14 STRAIGHT	C13 STRAIGHT	3 (10)	Black	142257-003
Worldwide	HPE Jumper Cord, Black, 1.37m, 10A, C13-C14	1	C14 STRAIGHT	C13 STRAIGHT	1.37 (4.5)	Black	142257-006
Worldwide	HPE Jumper Cord, Black, 0.7m, 10A, C13-C14	1	C14 STRAIGHT	C13 STRAIGHT	0.7 (2.3)	Black	142257-B28
Worldwide	HPE Jumper Cord, Flint Gray, 2m, 10A, C13-C14	1	C14 STRAIGHT	C13 STRAIGHT	2 (6)	Flint Gray	AF573A
Worldwide	HPE Jumper Cord, Flint Gray, 0.7m, 10A, C13-C14	1	C14 STRAIGHT	C13 STRAIGHT	0.7 (2.3)	Flint Gray	AOK03A
Worldwide	HPE Jumper Cord, Flint Gray, 1.37m, 10A, C13-C14	1	C14 STRAIGHT	C13 STRAIGHT	1.37 (4.5)	Flint Gray	AOK04A
Worldwide	HPE Jumper Cord, Flint Gray, 3m, 10A, C13-C14	1	C14 STRAIGHT	C13 STRAIGHT	3 (10)	Flint Gray	AOK06A
Worldwide (Except the USA/CAN/JP/TW)	HPE Jumper Cord, Black, 0.76m, 13A, C14-C15	1	C14 STRAIGHT	C15 STRAIGHT	0.76 (2.5)	Black	Q7F60A
Worldwide (Except the USA/CAN/JP/TW)	HPE Jumper Cord, Black, 1m, 13A, C14-C15	1	C14 STRAIGHT	C15 STRAIGHT	1 (3.2)	Black	Q7F62A
Worldwide (Except the USA/CAN/JP/TW)	HPE Jumper Cord, Black, 2.5m, 13A, C14-C15	1	C14 STRAIGHT	C15 STRAIGHT	2.5 (8)	Black	Q7F58A
U.S./CA/JP/TW	HPE Jumper Cord, Black, 0.76m, 13A, C14-C15	1	C14 STRAIGHT	C15 STRAIGHT	0.76 (2.5)	Black	Q7F59A
U.S./CA/JP/TW	HPE Jumper Cord, Black, 1m, 13A, C14-C15	1	C14 STRAIGHT	C15 STRAIGHT	1 (3.2)	Black	Q7F61A
U.S./CA/JP/TW	HPE Jumper Cord, Black, 2.5m, 13A, C14-C15	1	C14 STRAIGHT	C15 STRAIGHT	2.5 (8)	Black	Q7F57A
Worldwide	HPE Jumper Cord, Black, 2.5m, 16A, C19-C20	1	C19 STRAIGHT	C20 STRAIGHT	2.5 (8)	Black	295633-B22
Worldwide	HPE Jumper Cord, Flint Gray, 2m, 16A, C19-C20	1	C19 STRAIGHT	C20 STRAIGHT	2 (6)	Flint Gray	AF574A
Worldwide	HPE Jumper Cord, Flint Gray, 1.2m, 16A, C19-C20	1	C19 STRAIGHT	C20 STRAIGHT	1.2 (3.9)	Flint Gray	AF575A
Worldwide	HPE Jumper Cord, Black, 4.5m, 16A, C19-C20	1	C19 STRAIGHT	C20 STRAIGHT	4.5 (14.8)	Black	E7804A
Worldwide	HPE IPD Jumper Cord, Black, 2m, 16A, C19-C20	1	C20 STRAIGHT	C19 STRAIGHT	2 (6)	Black	TK738A



Jumper Cords (continued)

Country/Region	Description	Quantity/kit	Connector 1 Type	Connector 2 Type	Length, Meter (Feet)	Color	Part number
U.S./CA	HPE Jumper Cord, Black, 0.76m, 15A/277V, SAF-D-GRID, LS-25, U.S./Canada	1	SAF-D-GRID	LS-25	0.76 (2.5)	Black	J6X01A
U.S./CA	HPE Jumper Cord, Black, 1.37m, 15A/277V, SAF-D-GRID, LS-25, U.S./Canada	1	SAF-D-GRID	LS-25	1.37 (4.5)	Black	J6X02A
U.S./CA	HPE Jumper Cord, Black, 2m, 15A/277V, SAF-D-GRID, LS-25, U.S./Canada	1	SAF-D-GRID	LS-25	2 (6)	Black	J6X03A
U.S./CA	HPE Jumper Cord, Black, 0.76m, 15A/277V, SDG23A, SDG23B, U.S./Canada	1	SDG23A	SDG23B	0.76 (2.5)	Black	P9B75A
U.S./CA	HPE Jumper Cord, Black, 2m, 15A/277V, SDG23A, SDG23B, U.S./Canada	1	SDG23A	SDG23B	2 (6)	Black	P9B77A
U.S./CA	HPE Jumper Cord, Black, 0.76m, 18A/277V, SAF-D-GRID, U.S./Canada	1	SAF-D-GRID	SAF-D-GRID	0.76 (2.5)	Black	J6W98A
U.S./CA	HPE Jumper Cord, Black, 1.37m, 18A/277V, SAF-D-GRID, U.S./Canada	1	SAF-D-GRID	SAF-D-GRID	1.37 (4.5)	Black	J6W99A
U.S./CA	HPE Jumper Cord, Black, 2m, 18A/277V, SAF-D-GRID, U.S./Canada	1	SAF-D-GRID	SAF-D-GRID	2 (6)	Black	J6X00A



Locking Jumper Cords

Country/Region	Description	Quantity/kit	Connector 1 Type	Connector 2 Type	Length, Meter (Feet)	Color	Part Number
Worldwide	HPE Jumper Cord, Locking, C13-C14, 0.7M	1	C14 STRAIGHT	C13 STRAIGHT	0.7 (2.4)	Black	Q0P67A
Worldwide	HPE Jumper Cord, Locking, C13-C14, 1.4M	1	C14 STRAIGHT	C13 STRAIGHT	1.4 (4.8)	Black	Q0P68A
Worldwide	HPE Jumper Cord, Locking, C13-C14, 2.0M	1	C14 STRAIGHT	C13 STRAIGHT	2.0 (6)	Black	Q0P69A
Worldwide	HPE Jumper Cord, Locking, C13-C14, 3.0M	1	C14 STRAIGHT	C13 STRAIGHT	3.0 (10)	Black	Q0P70A
Worldwide	HPE Jumper Cord, Locking, C19-C20, 0.7M	1	C20 STRAIGHT	C19 STRAIGHT	0.7 (2.4)	Black	Q0R19A
Worldwide	HPE Jumper Cord, Locking, C19-C20, 1.2M	1	C20 STRAIGHT	C19 STRAIGHT	1.2 (3.9)	Black	Q0P71A
Worldwide	HPE Jumper Cord, Locking, C19-C20, 2.0M	1	C20 STRAIGHT	C19 STRAIGHT	2.0 (6)	Black	Q0P72A
Worldwide	HPE Jumper Cord, Locking, C19-C20, 2.5M	1	C20 STRAIGHT	C19 STRAIGHT	2.5 (8)	Black	Q0P73A
Worldwide	HPE Jumper Cord, Locking, C13-C14, 0.7M	6	C14 STRAIGHT	C13 STRAIGHT	0.7 (2.4)	Black	Q0Q02A
Worldwide	HPE Jumper Cord, Locking, C13-C14, 1.4M	6	C14 STRAIGHT	C13 STRAIGHT	1.4 (4.8)	Black	Q0Q03A
Worldwide	HPE Jumper Cord, Locking, C13-C14, 2.0M	6	C14 STRAIGHT	C13 STRAIGHT	2.0 (6)	Black	Q0Q04A
Worldwide	HPE Jumper Cord, Locking, C13-C14, 3.0M	6	C14 STRAIGHT	C13 STRAIGHT	3.0 (10)	Black	Q0Q05A
Worldwide	HPE Jumper Cord, Locking, C19-C20, 0.7M	6	C20 STRAIGHT	C19 STRAIGHT	0.7 (2.4)	Black	Q0R15A
Worldwide	HPE Jumper Cord, Locking, C19-C20, 1.2M	6	C20 STRAIGHT	C19 STRAIGHT	1.2 (3.9)	Black	Q0R16A
Worldwide	HPE Jumper Cord, Locking, C19-C20, 2.0M	6	C20 STRAIGHT	C19 STRAIGHT	2.0 (6)	Black	Q0R17A
Worldwide	HPE Jumper Cord, Locking, C19-C20, 2.5M	6	C20 STRAIGHT	C19 STRAIGHT	2.5 (8)	Black	Q0R18A















































Specialty cords

Country/Region	Description	Quantity/kit	Connector 1 Type	Connector 2 Type	Length, Meter (Feet)	Part number
Worldwide	HPE PWR Cable, 3m, 12awg, Stripped ends (X3)	1	Stripped ends (X3)	Stripped ends (X3)	3 (10)	J6X43A
Worldwide	HPE PWR Cable, 0.14m, 12awg	1	Lug (X3)	Stripped ends (X3)	1.3 (4.5)	A5S97A
Worldwide	HPE PWR Cable, 0.14m, 12awg	1	Lug (X3)	Stripped ends (X3)	2.5 (8.2)	A5S98A
Worldwide	HPE PWR Cable, 2.85m, 10awg	1	Connector & lug	Lug (X3)	2.85 (9.4)	Q0H80A


























International Plug Type

Country list	Photos	Standard	Max. Rating	Safety logo
U.S./CA		NEMA 1-15P	15A/125V	  Or 
U.S./CA	 	NEMA 5-15P	15A/125V	  Or 
U.S./CA	 	NEMA 5-20P	20A/125V	  Or 
U.S./CA	 	NEMA 6-15P	15A/250V	  Or 
U.S./CA	 	NEMA 6-20P	20A/250V	  Or 
U.S./CA	 	NEMA L5-15P	15A/250V	  Or 
U.S./CA	 	NEMA L5-20P	20A/250V	  Or 
U.S./CA	 	NEMA L6-15P	15A/250V	  Or 
U.S./CA	 	NEMA L6-20P	20A/250V	  Or 


























International Plug Type (continued)

Country list	Photos	Standard	Max. Rating	Safety logo
U.S./CA	 	NEMA L6-30P	30A/250V	  Or 
Argentina		IRAM 2073	10A/250V	
Brazil		NBR14136	10A/250V	
Brazil		NBR14136	16A/250V	
China		GB 2099.1, GB1002	10A/250V	
China		GB 2099.1, GB1002	16A/250V	
South Korean		KSC8305, K60884-1	16A/250V	
Japan	 	JIS C8303	15A/125V	
Japan	 	JIS C8303	15A/250V	





















International Plug Type (continued)

Country list	Photos	Standard	Max. Rating	Safety logo
Taiwan	 	CNS 690	15A/125V	
Taiwan	 	CNS 690	15A/250V	
Thailand/Philippines	 	No Safety Requirement	15A/250V	N/A
India		IS 1293	6A/250V	 Or 
India		IS 1293	16A/250V	 Or 
Israel		SI 32	16A/250V	
Australia/New Zealand		AS/NZS 3112:2000	10A/250V	
Australia/New Zealand		AS/NZS 3112:2000	15A/250V	
Europe		CEE7 VII	16A/250V	 Or 



International Plug Type (continued)

Country list	Photos	Standard	Max. Rating	Safety logo
Russia		GOST R 51322.1	16A/250V	
Switzerland		SEV 1011	10A/250V	
Denmark		DK2-5A	13A/250V	
Italy/Chile		CEI 23-50	10A/250V	
Italy/Chile		CEI 23-50	16A/250V	
South Africa		SANS 164-1	13A/250V	
UK/HK/Singapore		BS 1363/A	13A/250V	 & 
Industry		IEC 60309	16A/250V (Europe) 15A/250V (U.S./CA)	 Or 





International Connector Type


Country list	Type	Photos	Standard	Max. Rating	Safety logo
Worldwide	C5		IEC 60320	2.5A-250V 7A-125V (USA, Canada, Japan)	
Worldwide	C7		IEC 60320	2.5A-250V 7A-125V (USA, Canada, Japan)	
Worldwide	C13		IEC 60320	10A-250V 12A-250V (USA, Canada) 15A-250V (USA, Canada)	
Worldwide	C14		IEC 60320	10A-250V 12A-250V (USA, Canada) 15A-250V (USA, Canada)	
Worldwide	C15		IEC 60320	10A-250V 15A-250V (USA, Canada) High Temperature 120°C	
Worldwide	C19		IEC 60320	15A-125V (Japan) 15A-250V (Japan) 16A-250V 20A-250V (USA, Canada)	



International Connector Type (continued)

Country list	Type	Photos	Standard	Max. Rating	Safety logo
Worldwide	C20		IEC 60320	15A-125V(Japan) 15A-250V(Japan) 16A-250V 20A-250V (USA, Canada)	

Learn more at
hpe.com/info/rackandpower

 Make the right purchase decision. Click here to chat with our presales specialists.



Sign up for updates

